





GP Autolift

GP 147 Top Line T8





REALIZZAZIONE, PROGETTAZIONE E DEPOSITO DI PROPRIETÀ DELLA GP AUTOLIFT SRL
 RÉALISATION ET LA CONCEPTION DE LA PROPRIÉTÉ DÉPOSÉE PAR GP AUTOLIFT SRL
 REALIZATION AND DESIGN BY GP AUTOLIFT SRL INTELLECTUAL PROPERTY

PROGETTO E DESIGN A CURA DI INGEGNER EMANUELE GREPPI
 PROJECT AND DESIGN BY EMANUELE GREPPI
 ARCHITECTE INGÉNIEUR CHEF M. EMANUELE GREPPI

Jib 8T [m]	Diagramma di portata • load diagrams • diagramme de charge • Kaldirma Kapasitesi диаграмма грузоподъемности												
	13,2	14,8	16,1	17,8	18,7	19,8	20,6	21,2	21,6	21,6	22,1	22,1	22,2
22	4493	5116	5647	6344	6672	7136	7449	7701	7829	7832	8000	8000	8000
25	3880	4427	4891	5502	5790	6197	6471	6692	6803	6806	6974	6979	7040
28	3403	3889	4303	4846	5102	5464	5708	5905	6004	6006	6156	6160	
31	3020	3458	3831	4320	4551	4877	5097	5274	5363	5365	5500		
34	2707	3105	3444	3890	4099	4396	4596	4757	4838	4840			
37	2445	2811	3121	3530	3722	3994	4178	4325	4400				
40	2224	2561	2848	3225	3403	3654	3824	3960					
43	2034	2347	2614	2964	3129	3363	3520						II Ropes
45	1921	2220	2475	2810	2967	3190							
48	1770	2051	2289	2602	2750								
51	1638	1901	2125	2420									
54	1520	1768	1980										
57	1415	1650											+ 100 Kg
60	1320												

AUTOLIFT Senza il sistema Autolift tutte le portate intermedie diminuiscono il carico del 10% / All intermediate loads are decreased of 10% if the crane is not equipped with Autolift control / Les charges intermediaires sont diminuées de 10% si la grue n'est pas équipé d'un controle Autolift / Eğer kreyn Autolift sistemi ile donatılmamışsa, bütün orta seviye yüklemelerde kapasite %10 azalır.- (Autolift, GPA tarafından opsiyonel olarak sunulmaktadır) / без Autolift промежуточной уменьшается на 10% нагрузки.

Meccanismi • Mechanisms • Mécanismes • Mekanizmalar • механизмы						
[kW]		[kg]	[m/min]	[kg]	[m/min]	
↑↓	40 HP - 30 kW fune φ12mm LEBUS Fune 450m	1	8000	3,5	4000	7
		2	8000	10	4000	20
		3	8000	19,5	4000	39
		4	6000	29	3000	58
		5	3000	42	1500	84
		5*	1000	47	500	94
		1	8000	4,0	4000	8
		2	8000	13	4000	25
		3	8000	21	4000	42
		4	6000	38	3000	75
	5	4000	50	2000	100	
	5*	2000	58	1000	116	
	↔		m/min	5.5 kW	* velocità regolata automaticamente da sensore di corrente / speed automatically controlled by a current sensor / vitesse réglée automatiquement par capteur de courant / Hiz sensörler tarafından otomatik olarak kontrol edilir / скорость автоматически регулируется датчиком тока	
	↻		rpm	n. 2 x 4.0 kW		
⏏	19	m/min	n. 2 x 3.0 kW			
Assorbimenti / Power consumption / Puissance électrique /Enerji / поглощения				40HP	50HP	
				Kw	40	



GP Autolift

Gru, Progetti e Automazioni per il sollevamento - Cranes, Projects and lifts' automations

Sede Legale: Via Melchiorre Gioia, 8 - 20124 Milano

Sede operativa: via U. Giordano, 1/13 • 21017 Samarate (VA) - Tel. +39 0331 1820275 - Fax +39 0331 1820276 • info@gpautolift.com
www.gpautolift.com