






A4FEM1.001






UL = ULTRALIFT
 H = Altezza sotto gancio
 Height under hook
 Hauteur sous crochet
 Höhe unter dem Haken A
 Высота под крюком



INTERKRAN

MRT186

GRU DA CITTÀ SENZA CUSPIDE . TOP LESS CITY CRANE .

CONFIGURAZIONE TORRE - REAZIONITOWER CONFIGURATION - REACTIONS / CONFIGURATION TOUR - RÉACTIONS /
KONFIGURATION MIT TURM - REAKTIONEN / КОНФИГУРАЦИЯ БАШНИ - РЕАКЦИИ


Attenersi alla zavorra indicata / Comply with the specified ballast / S'en tenir au lest
indiqué / Unbedingt die angegebenen Ballastwerte einhalten / Соблюдать указанный балласт

MRT186 GRU DA CITTÀ SENZA CUSPIDE . TOP LESS CITY CRANE .

DIAGRAMMA DI PORTATA

RANGE DIAGRAM / DIAGRAMME DE CHARGE UTILE / BELASTBARKEITSDIAGRAMM /

ДИАГРАММА ГРУЗОПОДЪЕМНОСТИ



UL [ULTRALIFT]


Con il sistema ULTRALIFT tutte le portate intermedie aumentano il carico del 10%

All intermediate loads are increased of 10% if the crane is equipped with ULTRALIFT control

Les charges intermédiaires sont augmentées de 10% si la grue est équipée avec contrôle ULTRALIFT

Mit dem ULTRALIFT-System erhöhen alle Zwischenbelastbarkeiten die Last um 10%

с системой ultraLift все промежуточные грузоподъемности увеличиваются на 10%

CARATTERISTICHE AZIONAMENTI PRINCIPALIMAIN DRIVE CHARACTERISTICS / CARACTÉRISTIQUES ACTIONNEMENTS PRINCIPAUX /
HAUPTBEDIENUNGSEIGENSCHAFTEN / ХАРАКТЕРИСТИКА ГЛАВНЫХ ПРИВОДОВ


380 VOLT ± 5%

	POTENZA POWER CV-ch Ps-hp	FUNE ROPE m.	MARCIA STEP	CARICO LOAD Kg.	VELOCITÀ SPEED m/min.	CARICO LOAD Kg.	VELOCITÀ SPEED m/min.
8,0 T 40 HP 4/8VF	40	30	240 450 LB	1	4000	7	8000
				2	4000	21	8000
				3	4000	35	8000
				4	2200	56	4400
				5	1500	70	3000
					0 – 600 (*)	85 (*)	0 – 1200 (*)
10,0 T 40 HP 5/10VF	40	30	190	1	5000	6	10000
				2	5000	12	10000
				3	5000	22	10000
				4	3000	34	6000
				5	2000	44	4000
					0 – 600 (*)	52 (*)	0 – 1200 (*)
8,0 T 60 HP 4/8VF	60	45	520 LB	1	4000	7	8000
				2	4000	21	8000
				3	4000	35	8000
				4	3000	55	6000
				5	2000	75	4000
					0 – 750 (*)	90 (*)	0 – 1500 (*)
10,0 T 60 HP 5/10VF	60	45	230 430 LB	1	5000	8	10000
				2	5000	22	10000
				3	5000	38	10000
				4	3500	55	7000
				5	2400	70	4800
					0 – 750 (*)	90 (*)	0 – 1500 (*)

08 / 05 - 2000 n. 2000 / 14 / CE

ROTAZIONE
SLEWING0,26 / 0,48 / 0,7 min⁻¹ P = 2 X 4,8 kWCARRELLO
TROLLEY18,8 / 35,2 / 54 m/min
PROGRESSIVO - PROGRESSIVE -
ПРОГРЕССИВНЫЙ P = 6,6 kWTRASLAZIONE
TRANSLATION

20 m/min P = 2 X 4 kW

(*) VELOCITÀ REGOLATA AUTOMATICAMENTE
DA SENSORE DI CORRENTE
SPEED AUTOMATICALLY CONTROLLED
BY A CURRENT SENSOR
VITESSE RÉGLÉE AUTOMATIQUEMENT
PAR CAPTEUR DE COURANT
AUTOMATISCH DURCH STROMSENSOR
GEREGELTE GESCHWINDIGKEIT
СКОРОСТЬ АВТОМАТИЧЕСКИ
РЕГУЛИРУЕТСЯ ДАТЧИКОМ ТОКА

MRT186 GRU DA CITTÀ SENZA CUSPIDE . TOP LESS CITY CRANE .

PESI E INGOMBRI

PACKING LIST/ LISTE DE COLISAGE / GEWICHT UND ABMESSUNGEN / ВЕС И ГАБАРИТНЫЕ РАЗМЕРЫ

Pos. Item	Pezzi Pieces	Denominazione Description		Schizzo Sketch	Dimensioni Dimensions			Peso Weight		
					L	W	H	Unit	Total	
1	1	Elemento di freccia Jib element Element de éche Elemento de flecha Элемент стрелы	n° 1			11,975	1,795	2,290	3600	-
	1		n° 2			6,190	1,500	2,290	1210	-
	1		n° 3			6,165	1,500	2,090	1100	-
	1		n° 4			6,115	1,500	2,090	1000	-
	1		n° 5			6,110	1,500	2,090	850	-
	1		n° 6			6,105	1,500	1,690	750	-
	1		n° 7			6,050	1,500	1,660	600	-
	1		n° 8			6,040	1,500	1,660	540	-
	1		n° 9			4,140	1,500	1,210	370	-
	1		n° 10			5,995	1,500	1,210	420	-
	1		n° 11			5,920	1,500	1,180	390	-
		1	Puntale freccia Jib point Élément pointé Puntal de flecha Наконечник стрелы			0,500	1,500	1,385	90	-
2	1	Controlfreccia, argano di sollev., quadro elettrico, carrello freccia etc. Counterjib, hoisting winch, trolley jib, electrical box etc. Contrafleche tournante, treuil de levage, chariot de fleche, armoire électrique etc. Contraflecha, cabrestante de elevación, cuadro eléctrico, carro flecha, etc. Контрстрела, подъем. лебедка, электрощит, тележка стрелы и т. д.			13,350 (L1) 11,950	2,605	2,400	9945	-	
	1	Controlfreccia, argano di sollev., quadro elettrico, carrello freccia, portablocchi Counterjib, hoisting winch, trolley jib, electrical box etc. Contrafleche tournante, treuil de levage, chariot de fleche, armoire électrique, élément terminal Contraflecha, cabrestante de elevación, cuadro eléctrico, carro flecha, portablocos Контрстрела, подъемная лебедка, электрощит, тележка стрелы, блокираторы			16,480	2,605	2,400	10750	-	
3	1	Gruppo girevole Slewing table Table tournante Grupo giratorio Узел вращения			HC4 HC5	1,900 2,300	3,200 3,200	1,900 1,900	4150 4540	- -
4	1	Balatoio cabina, cabina access balcony, cabin Porte cabine Balcón corrido cabina, cabina Площадка кабины, кабина				3,450	1,600	2,240	861	-

PESI E INGOMBRI

PACKING LIST/ LISTE DE COLISAGE / GEWICHT UND ABMESSUNGEN / ВЕС И ГАБАРИТНЫЕ РАЗМЕРЫ

Pos. Item	Pezzi Pieces	Denominazione Description	Schizzo Sketch	Dimensioni Dimensions			Peso Weight		
				L	W	H	Unit	Total	
5	2	Blocchi di contrappeso Counterweight block Contre-poids Bloques de contrapeso Блоки противовеса		A183	1,670	0,480	2,810	4505	9010
	4			B183	1,670	0,270	2,810	2535	10140
	4			C183	1,670	0,170	2,810	1600	6400
6	-	Elemento di torre Tower element Élément de mâture Elemento de torre Башенный элемент			2,950	1,900	1,700	1350	-
7	-				5,900	1,900	1,700	2295	-
8	-				11,800	1,900	1,700	4175	-
9	1	Tronchetto di fondazione Expendable foundation element Element a sceller Tronco de fundación Ступи основания			1,465	1,980	1,980	830	-
10	1	Trave principale della crociera di base Base main beam Poutre de chassis de base Viga principal de la cruceta de base Главная балка крестовины основания		4,5x4,5 m	6,524	0,780	0,960	2595	-
				6,0x6,0 m	8,645	0,780	0,960	3475	-
11	2	Semitrave della crociera di base Half base beam Sémitraverse de chassis de base Media viga de la cruceta de base Полубалка крестовины основания		4,5x4,5 m	3,212	0,680	0,974	1235	2470
				6,0x6,0 m	4,323	0,680	0,974	1745	3490
12	4	Blocco di appoggio Concrete pad Sabot en béton Bloque de appui Опорный блок			3,600	0,900	0,750	5520	22080
13	2	Bilancino di traslazione foile Driving bogie Boggie fou Balancin de traslación loco Не приводной балансир для горизонтального перемещения			1,315	0,222	0,540	600	1200
14	2	Bilancino di traslazione motorizzato Driven bogie Boggie motorisée Balancin de traslación motorizado Приводной балансир горизонтального перемещения			1,427	0,492	0,540	765	1530
15	-	Blocco di zavorra Base ballast block Lest de base Brique de lastre Блок балласта			3,600	1,200	0,300	2950	--

MRT186 GRU DA CITTÀ SENZA CUSPIDE . TOP LESS CITY CRANE .

PESI E INGOMBRI

PACKING LIST/ LISTE DE COLISAGE / GEWICHT UND ABMESSUNGEN / ВЕС И ГАБАРИТНЫЕ РАЗМЕРЫ

Pos. Item	Pezzi Pieces	Denominazione Description	Schizzo Sketch	Dimensioni Dimensions			Peso Weight	
				L	W	H	Unit	Total
HC5 - 2,1 m.								
16	-			2,950	2,270	2,270	1720	
17	-	Elemento di torre monolitico Tower element Element de mature Elemento de torre monolitico Монолитный башенный элемент		5,900	2,270	2,270	2700	-
18	-			11,800	2,270	2,270	5360	-
19	1	Elemento di base Base element Mat de base Elemento de base Элемент основания		3,000	2,475	2,475	1925	-
20	1	Gabbia di montaggio Climbing cage Cage de montage Jaula de montage Монтажная клеть		8,530	3,100	2,300	7670	
21	1	Tronchetto di fondazione Expandable foundation element Element a sceller Tronco de fundación Ствол основания		1,345	2,400	2,400	820	-
22	4	Puntoni di base Oblique legs Jambes de force Cabrios de base Стойки основания		3,640	0,220	0,300	288	1152
23	1	Trave principale della crociera di base Base main beam Poutre de chassie de base Viga principal de la cruceta de base Главная балка крестовины основания		8,890	0,620	0,720	1575	-
		Semitrave della crociera di base Half base beam Semipoutre de chassie de base Media viga de la cruceta de base Полубалка крестовины основания		4,340	0,600	0,720	700	1400
25	4	Bilancino di traslazione motorizzato Driven bogie Bogie motorisé Bilancin de traslación motorizado Приводной балансир горизонтального перемещения		1,427	0,492	0,540	765	3060
26	1	Telaio di raccordo a spinta Climbing cage connection frame Element de telescopage Bastidor de enlace de empuje Соединительная рама подъемной клетки		2,296	2,296	1,500	1190	

ALTRE INSTALLAZIONI - [RI] 1,88 / 42

LOADING PLAN / AUTRES INSTALLATIONS / LADEPLAN / ДРУГИЕ УСТАНОВКИ


[RI]

GRU IN CAVEDIO

TÉLESCOPAGE SUR DALLES

CLIMBING CRANE

KLETTERKRANE IM GEBÄUDE

Поднимающийся на
плитах перекрытия

MRT186 GRU DA CITTÀ SENZA CUSPIDE . TOP LESS CITY CRANE .

ALTRE INSTALLAZIONI - [HC] 2,10 / 42

LOADING PLAN / AUTRES INSTALLATIONS / LADEPLAN / ДРУГИЕ УСТАНОВКИ


[HC] SOPRALZO IDRAULICO

TELESCOPABLE

EXTERNAL CLIMBING

KLEITERKRANE


ГИДРАВНИЧЕСКОЕ
НАРАЩИВАНИЕ




CONTRAPPESI - MONTAGGIO E PUNTI D'IMBRACAGGIO

COUNTERWEIGHTS — ASSEMBLY AND SLINGING POINTS / CONTREPOIDS — MONTAGE ET POINTS D'ÉLÉVAGE / GEGENGEWICHTE — MONTAGE UND ANSCHLAGPUNKTE / ПРОТИВОВЕСЫ — УСТАНОВКА И ТОЧКИ КРЕПЛЕНИЯ

m		Kg.Totali
66.0	2A + 4B + 4C	25.550
60.0	2A + 4B + 2C	22.350
56.0	2A + 4B + 1C	20.750
50.0	2A + 3B + 1C	18.215
43.0	2A + 2B + 1C	15.680
37.0	2A + 1B + 1C	13.145
33.0	2A + 1B	11.545
27.5	2A	09.010




5.300 Kg



A183 4.505 Kg
B183 2.535 Kg
C183 1.600 Kg

16.050 Kg



861 Kg



66 m - 12.500 Kg



BILANCIAMENTO
 CONTRAPPESI



VERIFICARE I PUNTI DI
 IMBRACAGGIO



ATTENERSI AL NUMERO E
 TIPO DI BLOCCHI DI
 CONTRAPPESO INDICATO
 IN TABELLA



COUNTERWEIGHT
 BALANCING

SLINGING POINT CHECK

PLEASE COMPLY WITH
 THE NUMBER AND TYPE OF
 COUNTERWEIGHT BLOCKS
 GIVEN IN THE CHART

ÉQUILIBRAGE
 CONTREPOIDS

VÉRIFICATION DES
 POINTS D'ÉLÉVAGE

S'EN TENIR AU NOMBRE
 ET AU TYPE DE BLOCS DE
 CONTREPOIDS INDIQUE
 DANS LE TABLEAU

AUSWUCHTUNG DER
 GEGENGEWICHTE
 ÜBERPRÜFUNG DER
 ANSCHLAGPUNKTE

DIE ANZAHL UND
 DEN TYP DER IN DER
 TABELLE ANGEgebenEN
 GEGENGEWICHTSBLOCKE
 EINHALTEN

БАЛАНСИРОВКА
 ПРОТИВОВЕСОВ
 ПРОВЕРКА ТОЧЕК
 КРЕПЛЕНИЯ

СОБЛЮДАТЬ
 КОЛИЧЕСТВО И МОДЕЛЬ
 ПЛИТ ПРОТИВОВЕСА,
 УКАЗАННЫХ В ТАБЛИЦЕ

MRT186



INTERKRAN AG
Industriestrasse 2
6345 Neuheim



+41 (0) 44 687 48 00



info@interkran.ch



www.interkran.ch

MRT 186 [REV. 00.2010] ADL / TECHNICAL DEPARTEMENT
I DATI OGGETTO DELLA PRESENTE SCHEDA POTREBBERO
SUBIRE MODIFICHE SENZA PREAVVISO

DISTRIBUTORE ,DEALER ,DISTRIBUTEUR ,VERTEILER ,ДИАЛЕГ

